

New products

Ikelite Canon G6 Digital housing

The #6146 housing for the Canon G6 includes special conversion circuitry to utilize the Canon eTTL system with DS-50 and DS-125 SubStrobes, providing total compatibility as the DS SubStrobes emulate a proper Canon strobe.

It includes a diffuser to allow photos to be taken with the built-in strobe of the camera.

An optional #4100.6 EV Manual Controller providing 10 power settings with the DS-50 or DS-125 digital SubStrobes can be attached with sync cord or triggered by the camera strobe. Non-Ikelite strobes can be used operating as manual strobes, but not with the EV Manual Controller.

The lens port allows attaching the Inon UWL-100 wide angle lens, Epoque DCL-20, Olympus, or the #58070 Sea & Sea digital wide conversion lens.

Every camera function except the self timer and continuous button is accessible in this very sophisticated housing installation. Complete housing and camera weighs less than 6 pounds.

www.uwpmag.com



The Release Handle system allows easy attachment and removal of SubStrobe mounting arms at the touch of a button. Housing measures 7" wide; 10" wide with the removable handle bar attached; 6" high, and 6" deep. It is moulded of corrosion free clear polycarbonate and operates to 200 feet.

www.ikelite.com

Gates HC1/A1U housing



The Gates HC1/A1U housing takes the Sony HC1/A1 small HD video cameras.

The handle positions are adjustable and there is an optional external monitor

There are all mechanical controls for On/Off, Zoom, Exposure On/Off, Record/Standby, Internal "Flip" Filter, Photo, White Balance, A/M Focus, Exposure Adjust and Manual Focus

The housing is 10.7" L x 6.7" H x 7.1" w (10" w/handles) or 27 cm L x 17 cm H x 18 cm W (25 cm w/ handles)

It weighs 10.1 lbs / 4.6 kg on land and is slightly negative underwater. It is rated to 450 feet / 137 meters and accepts all batteries designed for the camera.

www.gateshousings.com

Nikon D200



Rumours are getting stronger about the imminent release of Nikon's latest DSLR.

The D200 will be placed between the D70 and D2x and the specifications are thought to be 10.2 Megapixels, 5 Frames per Second, 2.5" LCD screen, DX-sized CCD sensor, 11 Area Multi-CAM AF system, 1,005 pixel 3D matrix metering II, Magnesium Alloy Body, Shutter rated for 100,000 shots, EN-EL3e battery for 1800 images per charge

There is even speculation that the price will be \$1,699.95.

Do a Google search for Nikon D200 to find the latest news!

Fisheye HG20DX Light



To help your digital camera focus under low light conditions a focus light is a good idea. Many digital still cameras allow the capture of short video clips and the focus light can provide illumination for the video capture.

The light comes with accessories, such as a flashlight handle, lanyard, and o-ring maintenance kit, and battery charger, base mount is Sea& Sea

style U-shaped with screw through style.

The FixLight HG20DX comes with Battery and Charger, Handgrip, Strap, Spare o-ring Set and Removal Tool

The 20 watt lamp and dimpled metal diffuser/reflector are designed to provide a bright white diffuse light with even illumination.

It's just 6 inches long and weighs 16 oz land / 2.8 oz underwater
It is made from polycarbonate plastic and depth rated to 250 feet.

www.marinecamera.com

UK-D-E300 for OLYMPUS E-300

UK Germany will soon have available an aluminium housing for the Olympus E300

Dimensions: Length (without grip): 180 mm, height: 135 mm, depth: 100 mm. Weight: approx. 1600 g without port. Max. diving depth: 80 metres.



www.uk-germany.com

Sealux HD1 video

Sealux have announced their housing for the Sony HC1 HD camera. For further details visit www.sealux.de



Nexus D70 Digital

Anthris/Nexus since 1979

Nexus offers amazing features with compact size.

- Glass Optics
- Dual Sync ports
- Aluminum housing
- Full controls
- 2 Extra external glands
- Adjustable handles

Visit www.usanexus.com

See all the features for the Nikon D70 that Nexus has to offer.



858-455-0873 USA Nexus

Epoque • USA

Digital strobes.....
Wide angle lens
Macro lens
Video Light
Focus light
Arms and Trays

www.Epoque-usa.com

Find all the accessories you need for digital underwater photography


Epoque-USA • 858-455-0872



Macro Lens

.54x Wide Lens

Heinrichsweikamp Olympus Nikonos bulkhead



German manufacturer Heinrichsweikamp now makes a replacement flash bulkhead for Olympus housings which can be user-installed within minutes so that many Nikonos compatible strobes can be used.

Supported cameras are Olympus C5060 (PT-020, PT-027) , C7070 (PT-027) and C8080 (PT-023)

Supported strobes (with full TTL) are Sea&Sea YS60/90/120/350, Inon Z220(s), Ikelite DS50/DS125, all new Subtronic and Nikon SB-105.

The new bulkhead does not require a battery and provides TTL exposures, all modes are supported: spot, multi or even "ESP"

The camera will use 67 different power levels with a YS60 instead of



5-10 settings with a manual strobe.

A big advantage is that the cameras built-in flash is not used so prolongs camera battery life.

The replacement bulkhead costs 159EUR

www.heinrichsweikamp.com

More choices...



or reengage your
Sea&Sea
strobes



NEW OLY-TTL-PT/S
the TTL converter

www.heinrichsweikamp.com
info@heinrichsweikamp.com

This space is yours for as little as \$290

UwP issues are downloaded by thousands of underwater photographers worldwide and we can guarantee they are all interested in underwater photography.

No other diving publication can make this claim.

So if you are an underwater photo equipment manufacturer or retailer, dive travel agent or dive resort you will not get a more targeted audience.

UwP is a truly international magazine.

Promote your products/ services to the world.

For further details visit

www.uwpmag.com
or e mail

peter@uwpmag.com

Watershot Canon 350D/Rebel housing



Watershot have announced two new housings for the Canon 350D/Rebel XT. The first is aluminium and the second is an injection moulded front with an aluminium back.

They both have controls for Shutter Lever; Main Dial; Power Switch; Mode Dial; AE lock/FE lock button/Index/Reduce button; AF point selection/Enlarge button; Drive mode selection button; Aperture/Exposure compensation button; ISO speed set button; White balance selection button; Metering mode selection button; AF mode selection button; Cross Key Setting button; LCD panel illumination button; Erase button; Playback button; Jump button; Info/Trimming orientation button; Menu button.

The metal version is rated to 100 metres and the plastic to 40-60 metres.

www.watershotonline.com

DEMA 2005 Wetpixel report

Couldn't make DEMA this year? Want to know all about what was on display in the underwater photography world? Fear not!

Wetpixel's Christa Loustalot has posted a comprehensive report on all that was on show with behind the scenes gossip and pictures.

<http://wetpixel.com/features/dema2005/>

There's also a very good review of the new range of HD cameras and housings by Drew Wong.

<http://wetpixel.com/i.php/full/dema-2005-sony-hdv-camera-report/>

**Send your press
releases about new
products to**

peter@uwpmag.com

ULTRALIGHT

CONTROL SYSTEMS



**MANUFACTURERS OF THE MOST VERSATILE,
LIGHTEST WEIGHT & MOST FLEXIBLE ARMS AVAILABLE**

Now you have your Olympus, Canon, or Sony digital housing, how do you hold onto it underwater? Ultralight makes a tray and handle to accomplish this.



Would you like to use a strobe or spotting light adapter with your new digital housing? Now you can, Ultralight makes arms and spotting light adapters to attach to the handle.



Maybe you would like to have two strobes, their tray makes into a double tray with the quick addition of two pieces.

Do you have Ikelite strobes and manual controllers and need to be able to attach those items to your housing. Ultralight makes adapters for the manual controllers that have a ball on the end so you can then add arms.



VISIT OUR WEBSITE: WWW.ULCS.COM

FIND A DEALER NEAR YOU OR

WRITE TO US: INFO@ULCS.COM