


New Products

Ikelite housing for Canon HV10 Video Camera



Ikelite have announced their housing for Canon HV10 Video Camera. It measures 8" wide, or 10.5" wide with the removable handle bar attached; 8" high including the removable base; and 12" deep



including knobs and port. The weight above water is less than ten pounds and it operates safely to 60m (200 feet).

The clear housing back provides a full view of the camera's LCD monitor while underwater. Simply open the LDC display when installing the camera in the housing.

Canon BP-310 or BP-315 batteries can be used with the camera.

The housing port is threaded for fitting an optional 67mm threaded waterproof wide-angle lenses such as the #6420 Ikelite W-20. It also accepts Inon (UWL-100 Type 2) and Epoque

(DCL-20) lenses.

Canon's WD-H37C Wide 0.7X Converter Lens can be used on the camera with this housing. Using this lens requires the original port be

replaced with either the optional Ikelite Dome Port #9306.70 or Flat Port #9306.71. The Dome Port provides a wider angle of coverage, but has limited zoom and macro range. The Flat Port offers full zoom and full macro capabilities.

There are controls for: Power On/Off, Recording start/stop, Zoom control, Photo, Backlight, Tape/Card, Focus Assist, Function, Focus, Exposure, Display, Digital Effects, Record/Review, Drive Mode, Menu Button/Set Dial

The base removes instantly with a unique toggle clamp for traveling or attaching of the optional Pro Video-Lite 3 battery pack. The handle assembly detaches from the housing by removal of just two nuts for packing.

www.ikelite.com

Sony HVR-V1N HD camcorder



Sony is expanding its professional HDV line-up with the new HVR-V1N, featuring 24/30P progressive scan capture based on the 3 ClearVid CMOS Sensor™ technologies. Added to this is the HVR-DR60, a new lightweight portable HDD recording unit, to allow more flexibility for video production.

The HVR-V1N features a high-resolution, 3.5-inch LCD screen with Clear Photo LCD Plus™ technology for superb contrast and accurate color reproduction. It is also equipped with HDMI output and 1.2M still picture capture.

www.sony.com

SeaLife DC600



Cameras Underwater are pleased to announce the arrival of SeaLife's latest digital offering; the DC600.

The DC600 is a 6.1 mega pixel, purpose built underwater digital camera. Waterproof to 60 metres and built to last, this camera is brimming with the latest technology and becomes Sealife's new flagship model.

The DC600 is faster than any of its predecessors and has a much bigger 2.5" LCD screen; essential for underwater use. It has a 3x optical zoom and 12 different modes making it suitable for use on land or at sea. The diving mode takes underwater conditions into account and adjusts the exposure control and colour correction.

The DC600 is part of a modular system and be purchased in various kits; the basic camera outfit, the pro set which includes a dedicated strobe, the Elite set which has a strobe and a

wide angle lens and the range topping MAXX set which has two strobes and the wide angle lens in a deluxe travel case.

The DC600 range is available now and prices start at £329.99 for the basic outfit, £459.99 for the Pro set, £599.99 for the Elite and £999.99 for the flagship MAXX outfit.

www.camerasunderwater.co.uk

Sea & Sea 860G




The Sea & Sea 860G 6.2 megapixel camera and housing is rated to 45 metres and has a 2.5" LCD screen with a 3x zoom lens.

The housing has bayonet front to take wide angle and close up accessory lenses. There are controls for Power button, Shutter lever, Wide / Tele buttons, OK / Menu button, Macro button, Flash button, Self-timer button, Voice memo button, Exposure / Delete button, Mode button (Still, Play, Movie).

www.seaandsea.com

How low can you go

Wherever you are, whatever the weather and whatever you're doing, we have the perfect solution for every situation. It's time to get wet.



Specialist equipment for scuba diving, snorkelling, surfing, skiing, water sports, hiking and all wet and demanding conditions

Cameras UNDERWATER

www.camerasunderwater.co.uk
Head Office and Mail Order: 01404-812277
London Showroom: 020-7839 1991
sales@camerasunderwater.co.uk

Gates tripod

Featuring widely spaced and fully articulated legs, the Gates tripod provides a stable platform for video housings.



Each leg is extendible from 7 to 18 inches and can be folded when not needed.

www.gateshousings.com

Sealux HDX200 for AG-HVX200 DVCPRO HD



The SEALUX HDX 200 underwater housing HD3 for the camcorder Panasonic AG-HVX 200 and the superior technology of the camcorder set new standards in the high-definition picture quality also for use underwater.

The SEALUX HDX200 housing makes it possible to fulfil effortless all demands on professional video recording up to 90m water depth. The new Leica Dicomer HD wide-angle zoom lens and the large dimensioned view finder are particularly suitable for the underwater field. All important functions can be operated via the adjusted handles.

www.sealux.de

Canon WP-DC7 housing for Digital IXUS 900 Ti



The Digital IXUS 900 Ti (SD900 Digital ELPH in the US) is a 10 megapixel camera with 2.5" LCD screen and 3x optical zoom. It can shoot up to ISO 1600 for low light

conditions.

The housing is rated to 40 metres with controls for all the cameras functions.

www.canon.com



Technical Lighting Control



No pins.
No O-rings.
Just tough, reliable
performance
from TLC.

AQUATICA
Digital

www.aquatica.ca

www.uwpmag.com

www.heinrichsweikamp.com

info@heinrichsweikamp.com

POWERED BY
HeinrichsWeikamp

Use your existing analog strobe
with your new digital camera!



The HeinrichsWeikamp Digital Adapter.

INON X-2 Canon EOS housing

The INON X-2 houses the Canon EOS 10D, 20D and 30D cameras and incorporates a new 45 degree optical viewfinder.

The EOS 20D and 30D are fully compatible with S-TTL so the INON Z-240 and D-2000 series strobes can be used via the dual optical ports. Nikonos sync connections are an option..

The housing is rated to 75 metres and is machined from aluminium with a Teflon coating. It weighs 2kg and is 178mm (w) x 158mm (h) x 116mm (d). Underwater, with camera and port it weighs 550gms.

Flat ports are available for 60mm and 100mm macro lenses and there is a dome port for the Canon 15mm F2.8 fisheye.

www.inon.co.jp



usaNexus.com
858-481-0604



45 degree finder



D70



D200



1Ds MarkII



Fiber optic sync



D2x



D80



5D

Aquatica Aqua View viewfinder



Aquatica is pleased to introduce there long awaited viewfinder Aqua View to its line of accessories.

This new viewfinder combines top quality coated glass element to deliver a bright and crisp image of the camera viewfinder, user removable design allows for quick and easy removal for storage and transportation, the body is made of hard anodized aluminum and the exposed glass is made of corrosion resistant material.

The Aqua View will take underwater photographer image

taking experience to a new level. The actual viewing area with the Aqua View is 100% of the actual DSLR finder

Developed as an additional improvement to our already large system of accessories, the rugged Aqua View is compatible with our recent line up of camera housing,

The 100 meters (over 300 feet) pressure certification is at par with our housing and is sure to please the technical diver.

www.aquatica.ca

www.uwpmag.com

AQUATICA™ Digital

**Quality digital camera housing
Anodized aluminum construction.
Depth rated to 100 meter.**

**Introducing our new Aqua View Finder,
for even easier viewing and focusing.**



www.aquatica.ca