

New products

Sea & Sea YS-90 DX

Configured like its counterpart, the popular YS-90TTL Duo strobe, the YS-90DX is compact and lightweight, constructed of high-impact polycarbonate. It bears the same prism diffuser, projecting an ultra-wide, even beam. But the YS-90DX goes beyond dual system capability; it is the world's first submersible flash to have intuitive circuitry with triple-system compatibility. A traditional four-pin sync cord synchronizes it with the Motor Marine II-EX. A traditional five-pin sync cord synchronizes it with Nikonos and housed Nikon systems. And the new Sea & Sea fiber optic cable synchronizes it with digital still cameras.

When used with a traditional sync cord, the YS-90DX operates in TTL automatic, slave and manual modes.

When used with digital cameras via an accessory fiber optic cable, the YS-90DX is slave-fired. The YS-90DX responds when the camera's built-in flash is fired. Some digital cameras have a pre-flash to measure subject distance and available light, some fire only once. The YS-90DX can be set to fire when you want it to. It operates in manual mode only. Total manual flash exposure is achieved by means of the strobe's unique 12- option light level control dial.

Specifications

Exposure control: TTL and Manual, with 12 light-level options. Beam angle: 105° x 95°

Guide number: (ISO 100, land) 72/22 (ft/m) (full power) Color temperature: 5500°K

Recycle time (full power): 200 alkaline, 120 Ni-cad Power source: Four AA alkaline or ni-cad batteries

Dimensions: 115 x 88 x 175mm/4.5 x 3.5 x 7 inches (H x W x D) Optional: Fiber optic cable 58040

For more detail visit <http://www.seaandsea.com>



Ikelite SubStrobe 125

The all new SubStrobe DS-125 features special electronic circuitry for use with the newest cameras, providing both TTL capability and the ability to also provide preflashes when used with their Wireless TTL Slave Sensors.

The DS-125...digital was created especially for use with new digital cameras, but is completely compatible with current film cameras including the Nikonos and all of the newest Nikon systems.

Specification:

Guide # 32 underwater (ISO 100) Full power recycle time of 1 second TTL, Full, 1/2, 1/4, 1/8 powers. Fuel Gauge. Modeling Light. Audible Ready Signal. 90 degree angle of coverage.

Diffuser to cover 100 degrees

1.5 hr Smart Charger available. 150 flashes per charge

Charger not included. Interchangeable NiCad battery pack

Weight complete less than 3 pounds

For further details go to <http://www.ikelite.com>



Ikelite housing for Olympus Digital Cameras 2040, 3000, 3030, 3040, 4040 Zoom Models

Compact new housing that extends all of the capabilities of these Olympus digital cameras underwater. The LCD information window on top of the camera is easy to see as is the LCD monitor. Every camera function is accessible.

The housing includes a flash diffuser that allows underwater photos to be taken with the built-in strobe of the camera. An optional DS series Ikelite SubStrobe placed farther from the lens improves the photographs by reducing the illumination of particles suspended in the water.

The Ikelite Digital SubStrobes and TTL Slave Sensors provide complete compatibility and duplicate the automatic exposure dictated by the camera. This is the only strobe system that can duplicate the sophisticated flash and preflash automation of these Olympus cameras.

The heavy duty 3/8" thick wall housing is moulded of corrosion free clear polycarbonate and operates safely to 200 feet. Camera and housing complete weighs less than 6 pounds.

Lens port allows attaching the optional wide angle lenses offered by Sea & Sea and Inon.

Single Release Handle system allows easy attachment and removal of SubStrobe mounting arms at the touch of a button.

Housing measures 7" wide including knobs; 10.5" wide with the removable handle bar attached; 6" high; and 6" deep including back knobs and port.



Amphibico 10 Video Arc light



Amphibico VLAL0010 Video Arc light comes with an adjustable ball joint extension arm, and includes a pistol grip so it can also be used as a dive light. The 10 watt HID Metal Halide Bulb is powered by 2 NP-F550 SONY Batteries (not supplied).

The output light of an HID lamp has a color temperature of 6000°-7500° Kelvin which is daylight condition temperature. This is significantly higher and much whiter than that of a typical quartz-halogen light. As a result the HID light is a preferred source for underwater video.

For further details contact Amphibico, 459 Deslauriers, Montreal, Quebec, Canada H4N 1W2 - Phone: (514) 333-8666 / Fax: (514) 333-1339 info@amphibico.com

LIGHT & MOTION

Light & Motion and Aggressor Fleet have teamed up to make capturing that perfect vacation easy.

Light & Motion underwater imaging equipment is now available on many of the Aggressor Fleet vessels. For a schedule of trips and where you can find instruction and demo gear, visit

www.livedivepacific.com/celebrity.html



Sealux-CX 990 housing for Nikon Coolpix 990

The Sealux CX-990 housing is a perfect fit for the digital camera Nikon Coolpix 990 digital.

The housing is made of non corrosive aluminium, hardened, all-anodised and is optimally protected against salt water.

The housing is 185 x 119 x 116 mm and weighs 1.6kg in air but is neutral underwater

Two quick-action latches with safety locks secure the housing.

Two ports are available - Flat port and a special port: for the wide-angle lens WC-E 63

Flash connector: Nikonos compatible

A handle base plate are

supplied with a soft rubber handle and t-connector for flash arms

The monitor can be viewed with protection against daylight which is why you always have a good monitor view.

Display: all data is visible

View finder: even Focus- and Flash-LEDs are visible

Pressue tested to 90 m.

All 16 switches of the Coolpix 990 can be handle with the housing!

The price is approx 2500 DM.

For further details visit

<http://www.sealux.de>



UK-DIGITAL -CANON EOS D30



The UK housing for the Canon EOS D30 is CNC machined from solid aluminium and hard anodised .

The interior is fitted out in a black lining which can absorbshocks and moisture, if necessary.

With two self-securing pre-tensioned latches, the housing is closed quickly and safely.

Changing memory chip cards is possible without removing the camera.

Controls are included for

Shutter release, zoom, front hand wheel, flash + -, drive, AF-WB,

mode, info, magnifier, menu, jump,, cancel, set, AF-measuring, rear hand wheel.

There is an S6-Flash-connector with camera connection, as well as display window on top and monitor window behind.

The housing is equipped with the reliable UK Bajonet system. It allows use of various lenses with the corresponding front ports.

Dimensions:

Length (without grip): 210 mm, height: 200 mm, depth: 115 mm.

Weight: approx. 2700 g without port.

Max. diving depth: 80 metres.

For further details visit

<http://www.uk-germany.com/>

Sea & Sea Quad port from Ocean Optics



A special port is now available from Ocean Optics onto which the Inon Quad flash can be mounted and secured.


The bayonet mount port is machined from aluminium and is hard anodised black.

The Quad port can be used without the Quad flash and, due to its smaller outside diameter allows easier positioning of your flash for close ups.

For further details contact
Ocean Optics,
13 Northumberland Avenue,
London WC2N 5AQ.
Tel 020 7930 8408 Fax 020 7839 6148



We **DIVE**, **SHOOT**, and **SERVICE** ...everything we sell!



NEW • USED • RENTAL • SERVICE

monterey, california • www.backscatter.com • sales@backscatter.com • 831.645.1082

You're never alone with Subal



Australia

Sea Optics Australia
info@seaoptic.com
<http://www.seaoptic.com/>

Austria

SUBAL austria
subal.austria@eunet.at

Belgium

La Plongée (JP Mortier), Lessines
nautilusdive@wanadoo.be

Rudi's Ocean Center, Gent
Tel: ++32-9-2333470
Fax: ++32-9-2333470

AB&D bvba 'AquaTech' Leuven,
JPeters@ab-d.be
<http://www.ab-d.be/>

Canada

Phomage, Langley BC
info@phomage.com
<http://www.phomage.com>

Denmark

Diving 2000 a/s, Odense
diving2000@email.dk
<http://www.diving2000.dk/>

Inter-Photo A/S, Silkeborg
soeren@inter-photo.dk
<http://www.inter-photo.dk/>

Underwater.dk, ODENSE S.,
info@underwater.dk
<http://www.underwater.dk>

France

Sea Cruise, NICE,
info@sea-cruise.net
<http://www.sea-cruise.net/>

Germany

SUBAL europe, Burghausen
europe@subal.com
<http://www.subal.com>

Holland

Videoland, Rotterdam
info@scubacompany.nl
<http://www.scubacompany.nl>

Pommec b.v., Hoogerheide
Tel: ++31-164-615490
Fax: ++31-164-613400

Hongkong

Micellone Co. Ltd., Hongkong
micelon@ibm.net

Hungary

EFFEKT INVEST KFT ,
Tel.: +36 - 22 - 504066
fotoquick@axelero.hu

Italy

Foto Leone, Turin
fleone@ivrea2000.it
www.ivrea2000.it/fotoleone

Blue Emotion di S. Soldati, San
Remo
bluem@tin.it
<http://www.blue-emotion.com>

F.M. Foto & video, Bologna
dario@fmfotovideo.it
<http://www.fmfotovideo.it/>

Boscoli Fotoriparazioni , Milano
info@boscoli.it
<http://www.boscoli.it>

Korea

iMago Underwater Seoul,
imago@imago.co.kr
<http://www.imago.co.kr>

Seaco underwater pro, Seoul,
seaco@korea.com
<http://www.seaco.kr.co>



Norway

Ocean Photo Erling Svenson,
Egersund
esvens@online.no

Marin Foto Norge A/S, RONG
marin@uvfoto.com
http://www.uvfoto.com

Russia

Joint-Stock Company NIMAL ,
Moscow
uw@nimal.ru

Singapore

SCUBA Photo, Singapore
chrissc@pacific.net.sg

Slovenia

FIJI d.o.o., Kranj
info@fiji.si
www.fiji.si

Spain

Carlos Minguell, Tenerife
subal@ocean-photos.com
www.ocean-photos.com

Blaumar Bivalvia S.L., Mataró,
blaumar@blaumar-mataro.com
www.blaumar-mataro.com

EMS Sistemas, S.L., Barcelona
ems@bcn.servicom.es
http://www.ems-sistemas.com

Subzero. L'Estartit
info@subzeroimatges.co
http://www.subzeroimatges.com

Sweden

Dyk & Bild , HUDDINGE
dyk_bild@algonet.se

Arkö Dyk AB, NORRKÖPING
Tel.: ++46-11-188650 Fax: ++46-
11-120096
arko_dyk@swipnet.se

Sten's Text & Foto, Vallentuna
sten.akesson@epsilon.telenordia.se

Switzerland

Scuba-Shop AG Aarau
Tel.: +41 62 822 17 45 Fax: +41 62
824 23 83
scuba-a@scubashop.ch
www.scubashop.ch

Taiwan

Double Power Co. Ltd., Taipei,
Tel: ++886-2-781 0645

Turkey

MAHMUT SUNER, ISTANBUL
m.suner@superonline.com

United Kingdom

Ocean Optics, London
optics@oceanoptics.co.uk
http://www.oceanoptics.co.uk/

United States

Cameras Below, CA,
info@camerasbelow.com
http://www.camerasbelow.com

Underwater Photo-Tech, NH
sales@uwphoto.com
http://www.uwphoto.com

Backscatter U/W , CA
sales@backscatter.com
http://www.backscatter.com

Marine Camera, CA
mcd2000@marinecamera.com
http://www.marinecamera.com

Millennium Divers, FL
don@millenniumdivers.com
http://www.millenniumdivers.com